PATENT COOPERATION TREATY

Translation

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

				· - · · · · · · · · · · · · · · · · · ·		
1	i's or agent's file reference	FOR FURTHER	ACTION	See Form PCT/IPEA/416		
International application No. Internati		International filing d	ate (day/month/year)	Priority date (day/month/year)		
PCT/EP2004/003297		29.03.200)4	07.05.2003		
International Patent Classification (IPC) or national classification and IPC						
Applicant						
SENN	HEISER ELEC	TRONIC GMBH & C	O. KG			
	<u> </u>		·			
	This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.					
2.	This REPORT consists o	fatotal of 12	sheets, including	this cover sheet.		
3.	This report is also accom	panied by ANNEXES, comprising				
1			_			
		pplicant and to the International B		sheets, as follows:		
		ontaining rectifications authorized		mended and are the basis for this report and/or the 70.16 and Section 607 of the Administrative		
				iders contain an amendment that goes beyond in item 4 of Box No. I and the Supplemental		
	b (sent to the In	nternational Bureau only) a total of	(indicate type and number	of electronic carrier(s))		
				, containing a sequence listing and/or tables		
-	related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).					
4. ·	This report contains indic	cations relating to the following ite	ms:			
[Box No. I	Basis of the report				
Į	Box No. II	Priority				
[Box No. III	Non-establishment of opinion with	h regard to novelty, inventi	ve step and industrial applicability		
l	Box No. IV	Lack of unity of invention				
[Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement					
	Box No. VI	Certain documents cited				
[Box No. VII	Certain defects in the international	l application			
Į.	Box No. VIII	Certain observations on the intern	ational application			
Date of submission of the demand			Date of completion of thi	s report		
Name and mailing address of the IPEA/EP			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
ivame and	mailing address of the II	PEAVEP	Authorized officer			
Faccionile No.			Talanka a M			

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.

PCT/EP2004/003297

Box	No. I	Basis of the report		
1.		egard to the language, this report is based on the internationed under this item.	al application in the language in	which it was filed, unless otherwise
		This report is based on translations from the original language thich is the language of a translation furnished for the purp		,
		international search (Rule 12.3 and 23.1(b))		
		publication of the international application (Rule 12.4)		
	L	international preliminary examination (Rule 55.2 and/o	or 55.3)	
2.		egard to the elements of the international application, this ing Office in response to an invitation under Article 14 are nort):		
	\square	he international application as originally filed/furnished		
	th	ne description:		
	pa	ages <u>1-9</u>		as originally filed/furnished
	pa	ages*	received by this Authority on	
	pa	ages*	received by this Authority on	
	L th	ne claims:		
	no	os		as originally filed/furnished
	no	os.*	as amended (together	r with any statement) under Article 19
	no	os.* 1-5	received by this Authority on	/filed with the demand
	no	os.*	received by this Authority on	
	⋈ th	ne drawings:		
	sh	heets 1/2,2/2		as originally filed/furnished
	sh	heets*		
	sh	heets*	•	
	П.	sequence listing and/or any related table(s) - see Suppleme	•	
			mar box retaining to sequence is	ioung.
3.	E21 1	The amendments have resulted in the cancellation of:		
		the description, pages		
		the claims, nos. 6,7		
		the drawings, sheets/figs		
	_ <u>_</u>	7	<u> </u>	
		any table(s) related to sequence listing (specify):		
4.		his report has been established as if (some of) the amenda hey have been considered to go beyond the disclosure as file		
	Ļ	the description, pages		
	Ļ	the claims, nos.		· · · · · · · · · · · · · · · · · · ·
		the drawings, sheets/figs		
		the sequence listing (specify):		
		any table(s) related to sequence listing (specify):		
*		4 applies, some or all of those sheets may be marked "supe	rseded."	

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.
PCT/EP2004/003297

Box No. V Reasoned statement		Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability;			
		citations and explanations supporting such statement			
1.	Statement	t			
	Novelt	ty (N) Claims 1-5	YES		
		Claims			
	Invent	tive step (IS) Claims	YES		
		Claims 1-5			
	Industr	rial applicability (IA) Claims 1-5	150		
		rial applicability (IA) Claims 1-5 Claims			
2.	Citations	and explanations (Rule 70.7)			
	1)	PRIOR ART (PCT Rule 64.1):			
	1.1	This report makes reference to the following			
		documents:			
		D1: US 5 255 326 A (STEVENSON ALDEN) 19 October			
		1993 (1993-10-19)			
		D2: US 6 219 645 B1 (BYERS CHARLES CALVIN)			
		17 April 2001 (2001-04-17)			
		D3: US 5 400 409 A (LINHARD KLAUS) 21 March 1995			
		(1995-03-21)			
	1.2	Document D1 (see figure 1 and the corresponding			
		part of the description) discloses (the references			
		between parentheses refer to that document):			
		a system for the location-sensitive reproduction			
		of audio signals, using electroacoustic			
		transducers ("stereophonic speaker units", see			
		column 3, lines 3 - 5), comprising an infrared			
		location-sensitive detection device for detecting			
		the position of the person listening (10, see			
		column 3, lines 28 - 35) and a central processing			

unit ("signal processor" 12) for calculating and controlling the audio signal output from the individual transducers for optimum reproduction of the audio signals at the position of the person listening, detected by the detection device (see column 3, lines 18 - 47 and column 2, lines 23 - 28).

In D1, the loudspeakers are combined with the sensors (18, 22) to produce a single unit (see figure 1, reference signs 14 and 16 and column 3, lines 3 - 12). Figure 1 suggests integrating the unit in a housing.

The loudspeakers may also be used as microphones, that is as receivers for the audio signals (see column 3, lines 6 - 13). In that configuration, the microprocessor processes the acoustic signals received by the transducers ("voice commands", see column 3, lines 48 - 64) and the signals from the location-sensitive detection devices (see column 3, line 65 - column 4, line 4). The system according to document D1 can therefore be controlled by means of voice recognition. In addition, the playback loudspeakers can be used as microphones for the acoustic triangulation, in addition to or instead of the infrared location-sensitive detection device for detecting the position of the person listening.

1.3 Document D2 describes voice-controlled audio reproduction devices ("entertainment systems", see

column 1, line 27; "television device", see column 4, line 14), in which the position of the user is determined using voice recognition signals (see figure 3, step 320 and column 7, lines 39 - 48). Document D2 looks in detail at the question of how such devices can be controlled without errors when a plurality of microphones are used, the danger existing of a voice command that is received by a plurality of microphones being incorrectly responded to by a plurality of devices (see column 2, lines 23 - 36).

Document D2 proposes correlating the signals of all the microphones so as to determine the position of the user by means of triangulation (column 13, line 6 - column 14, line 2 and column 5, lines 20 - 28) and finding the microphone that is nearest to the user (see column 7, lines 39 - 48 and column 13, lines 31 - 35). Proceeding therefrom, and incorporating other information, the signal with the best voice quality is then used for voice recognition (step 350 in figure 3; see also column 8, lines 21 - 28 and column 5, lines 21 - 35), thereby ensuring error-free voice recognition.

1.4 Document D3 discloses an in-phase or transit time-corrected addition of the signals received by a plurality of microphones in order to improve the ability to recognise commands during voice recognition (column 1, lines 24 - 33).

PCT/EP2004/003297

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

2) NOVELTY (PCT Article 33(2)):

- 2.1 The claimed system differs from that known from document D1 in that owing to the fact that the central processing unit is configured to correlate the second audio signals received by the microphones and the position information from the location-sensitive detection devices, it is also configured for the location-sensitive receiving of audio signals, and in that each unit is disposed in a housing.
- 2.2 The claimed system differs from that known from document D2 in that it is also configured for the location-sensitive reproduction of audio signals and in that each unit is disposed in a housing.
- 2.3 The claimed system differs from that known from document D3 in that it is configured for the location-sensitive receiving and reproduction of audio signals and in that each unit is disposed in a housing.
- 2.4 The other documents listed in the international search report are in part of similar relevance as document D1 or also document D2. However, they are no closer than documents D1 and D2. The claimed system is therefore novel (PCT Article 33(2)).

3) INVENTIVE STEP (PCT Article 33(3)):

- 3.1 Document D1 is considered the closest prior art.

 As mentioned above, according to document D1 the loudspeakers can also be used as microphones, as is the case in the current international application (page 5, lines 28 30). In document D1, the microprocessor processes the acoustic signals received by the transducers ("voice commands"; see column 3, lines 48 64) and the signals from the location-sensitive detection devices (see column 3, line 65 column 4, line 4). The system according to document D1 can therefore be controlled by means of voice recognition and can determine the position of the listener by means of acoustic triangulation.
- 3.2 The non-specific "correlation" of the second audio signals received by the microphones or loudspeakers with the position information signals from the location-sensitive detection devices as per claim 1 thus solves the objective problem during voice recognition of being able to select those voice recognition signals which are most suitable for recognition of the acoustic signals (because the distance between the listener and the particular microphone or loudspeaker is the shortest).

This problem is obvious in the field of voice recognition (see, for example, document D2, column 2, lines 19 - 22). Recognition of the

problem alone therefore does not involve an inventive step.

- 3.3 Consequently, proceeding from document D1, a person skilled in the art would be faced with the problem of guaranteeing voice recognition that is as error-free as possible from the two acoustic voice recognition signals that are received by the loudspeakers (14, 16). An obvious potential source of error lies in the fact that each of the two voice recognition signals impairs the other.
- 3.4 Another document which describes voice-controlled audio reproduction devices ("entertainment systems", see column 1, line 27; "television device", see column 4, line 14) and in which the position of the user is located using voice recognition signals (see figure 3, step 320 and column 7, lines 39 48) is document D2. Document D2 looks in detail at the question of how such devices can be controlled without errors when a plurality of microphones are used, the danger existing of a voice command that is received by a plurality of microphones being incorrectly responded to by a plurality of devices (see column 2, lines 23 36).

Proceeding from document D1 and owing to the similar problems of interest, a person skilled in the art would consult document D2 and would find therein approaches for solving the problem of error-free voice recognition. Document D2

proposes correlating the signals of all the microphones so as to determine the position of the user by means of triangulation (column 13, line 6 - column 14, line 2 and column 5, lines 20 - 28) and finding the microphone that is nearest to the user (see column 7, lines 39 - 48 and column 13, lines 31 - 35). Proceeding therefrom, and incorporating other information, the signal with the best voice quality is then used for voice recognition (step 350 in figure 3; see also column 8, lines 21 - 28 and column 5, lines 21 - 35), thereby ensuring error-free voice recognition.

The applicant should note that in document D2 also the microphones are used for both voice recognition and for locating position.

A person skilled in the art, proceeding from document D1, would therefore solve the problem of interest by using the technical measures proposed in document D2 and would thereby arrive largely at the subject matter of claim 1.

3.5 The further distinguishing feature in claim 1, that is the housing enclosing the loudspeakers, the microphone and the location-sensitive detection device, is suggested by figure 1 of document D1 and by the fact that the electroacoustic transducer can assume all three functions (as loudspeaker and microphone, as in document D1 and the current application, and as

microphone and location-sensitive detection device, as in document D2). Furthermore, this further distinguishing feature is in general not functionally linked to the first distinguishing feature (correlation of the microphone signals and the location signals) and therefore the claim contains a combination of obvious features (as in example (c) in section 13.14 of the PCT Guidelines).

- 3.6 Consequently, the system according to claim 1 does not involve an inventive step (PCT Article 33(3)).
- 3.7 According to document D1, the control of the loudspeakers is adjusted in line with the momentary position of the listener in real time (see column 3, lines 40 47). Consequently, the system according to **claim 2** also does not involve an inventive step (PCT Article 33(3)).
- 3.8 It is also known from document D2 that the microphone with the best signal-to-noise ratio may be the most suitable (see column 5, lines 25 28). Consequently, the system according to claim 3 also does not involve an inventive step (PCT Article 33(3)).
- 3.9 In both documents D1 and D2 the microphones and the location-sensitive detection devices are spatially distributed (see figure 1 of each document). Consequently, the system according to claim 4 also does not involve an inventive step

International application No.
PCT/EP2004/003297

Box No. V
Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

(PCT Article 33(3)).

- 3.10 The in-phase or transit time-corrected addition of the signals received by a plurality of microphones, as per claim 7, is a known measure for improving the ability to recognise commands during voice recognition; see document D3 (column 1, lines 24 33). Consequently, the system according to claim 5 also does not involve an inventive step (PCT Article 33(3)).
- 4) INDUSTRIAL APPLICABILITY (PCT Article 33(4)):
- 4.1 The system according to claims 1-5 is clearly industrially applicable (PCT Article 33(4)).

,

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.
PCT/EP2004/003297

Box No. VIII	Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

The first embodiment is not covered by claim 1, since no correlation in the sense of the claim is included therein (PCT Article 6; PCT Guidelines, 5.29).